

 Registered Name:
 TRUCKER'S BITTER SWEET
 Owner:
 Sanna Koponen

 Nickname:
 Bea
 Country:
 Finland

 Registration ID:
 Fl26023/15
 Testing date:
 2015/6/25

 Microchip:
 985141000882769
 DNA
 Identified with standard identification ISAG 2006 markers profile:

 Breed:
 Cinneco dell'Etna
 profile:
 Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: Yes

Test results for pharmacogenetics

Disorder	Mode of Inheritance	Result
Malignant Hyperthermia (MH)	Autosomal Dominant	Clear
Multi-Drug Resistance 1, (MDR1)	Autosomal Dominant	Clear

On behalf of Genoscoper Laboratories,

mer SIGNATURE



 Registered Name:
 TRUCKER'S BITTER SWEET
 Owner:
 Sanna Koponen

 Nickname:
 Bea
 Country:
 Finland

 Registration ID:
 Fl26023/15
 Testing date:
 2015/6/25

 Microchip:
 985141000882769
 DNA
 Identified with standard

 Breed:
 Cirneco dell'Etna
 profile:
 ISAG 2006 markers

 Gender:
 Female
 Female
 Sanna Koponen

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: Yes

Test results - Traits - page 1

Coat Type

Trait	Genotype	Description
Coat Length	L/L	The dog is likely to have short-haired coat.
Furnishings / Improper Coat in Portuguese Water Dogs (marker test)	GG/CC	The dog is not genetically likely to express furnishings.
<i>KRT71</i> c.451C>T (p.Arg151Trp)	C/C	The dog does not carry any copies of the tested allele causing curly coat. The dog most likely has non-curly hair.

On behalf of Genoscoper Laboratories,

mer SIGNATURE



 Registered Name:
 TRUCKER'S BITTER SWEET
 Owner:
 Sanna Koponen

 Nickname:
 Bea
 Country:
 Finland

 Registration ID:
 Fl26023/15
 Testing date:
 2015/6/25

 Microchip:
 985141000882769
 DNA
 Identified with standard

 Breed:
 Cirneco dell'Etna
 profile:
 ISAG 2006 markers

 Gender:
 Female
 Female
 Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: Yes

Test results - Traits - page 2

Coat Colour

Trait	Genotype	Description
Colour Locus E - Extensions	e/e	The dog has recessive red coat colour.
Colour Locus B - Brown	b/b	The dog is likely to have brown pigment.
Colour Locus K - Dominant Black	KB/ky KB/kbr kbr/ky kbr/kbr	The dog is genetically dominant black or brindle.
Colour Locus A - Agouti	ay/ay	The dog is genetically sable.
Colour Locus S - Piebald or extreme white spotting	S/S	The dog is likely to have solid coat colour with minimal white.
Colour Locus H - Harlequin	h/h	The dog doesn't have harlequin pattern.
Saddle Tan (RALY gene dupl.)	-/-	The dog may have saddle tan pattern if it has also tan point genotype at the A locus.

On behalf of Genoscoper Laboratories,

mer SIGNATURE



 Registered Name:
 TRUCKER'S BITTER SWEET
 Owner:
 Sanna Koponen

 Nickname:
 Bea
 Country:
 Finland

 Registration ID:
 Fl26023/15
 Testing date:
 2015/6/25

 Microchip:
 985141000882769
 DNA
 Identified with standard

 Breed:
 Cirneco dell'Etna
 profile:
 ISAG 2006 markers

 Gender:
 Female
 Female
 Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: Yes

Test results - Traits - page 3

Body Size

Trait	Genotype	Description
<i>IGF1</i> (chr15:41221438)	G/G	The dog is homozygous for the ancestral allele typically associated with large body mass.
<i>IGF1R</i> c.611G>A (p.Arg204His)	G/G	The dog carries two ancestral alleles typically found in larger-sized breeds.
STC2 (chr4:39182836)	T/T	The dog has two copies of the ancestral allele associated with larger body size.
GHR1 (p.Glu191Lys)	G/G	The dog has two copies of the ancestral allele associated with larger body size.
GHR2 (p.Pro177Leu)	C/C	The dog has two copies of the ancestral allele associated with larger body size.
<i>HMGA2</i> (chr10:8348804)	A/G	Your dog carries one copy of the derived allele and one copy of the ancestral allele. The dog may have a bit smaller size.

On behalf of Genoscoper Laboratories,

mer SIGNATURE



 Registered Name:
 TRUCKER'S BITTER SWEET
 Owner:
 Sanna Koponen

 Nickname:
 Bea
 Country:
 Finland

 Registration ID:
 Fl26023/15
 Testing date:
 2015/6/25

 Microchip:
 985141000882769
 DNA
 Identified with standard

 Breed:
 Cirneco dell'Etna
 profile:
 SAG 2006 markers

 Gender:
 Female
 Female
 Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: Yes

Test results - Traits - page 4

Morphology

Trait	Genotype	Description
<i>BMP3</i> c.1344C>A (p.Phe448Leu)	C/C	The dog does not carry the tested allele typically associated with shortened head (brachycephaly). The dog is more likely to have an elongated head (dolichocephaly).
chr10:11072007	T/T	The dog does not carry an allele typically associated with floppy ears. The dog is more likely to have pricked than floppy ears.
<i>T</i> c.189C>G (p.lle63Met)	C/C	The dog does not carry the tested bobtail-causing genetic variant. The dog is most likely long-tailed.

On behalf of Genoscoper Laboratories,

mer SIGNATURE



Blood Disorders - page 1

Disorder	Mode of Inheritance	Result
Bleeding disorder due to P2RY12 defect	Autosomal Recessive	Clear
Canine Cyclic Neutropenia, Cyclic Hematopoiesis, Grey Collie Syndrome, (CN)	Autosomal Recessive	Clear
Canine Leukocyte Adhesion Deficiency (CLAD), type III	Autosomal Recessive	Clear
Factor IX Deficiency or Hemophilia B; mutation Gly379Glu	X-linked Recessive	Clear
Factor IX Deficiency or Hemophilia B; mutation originally found in Airedale Terrier	X-linked Recessive	Clear
Factor IX Deficiency or Hemophilia B; mutation originally found in German Wirehaired Pointer	X-linked Recessive	Clear
Factor IX Deficiency or Hemophilia B; mutation originally found in Lhasa Apso	X-linked Recessive	No call
Factor IX Deficiency or Hemophilia B; mutation originally found in Rhodesian Ridgeback	X-linked Recessive	Clear
Factor VII Deficiency	Autosomal Recessive	Clear
Factor VIII Deficiency or Hemophilia A; mutation originally found in Boxer	X-linked Recessive	Clear
Factor VIII Deficiency or Hemophilia A; mutation originally found in German Shepherd Dog	X-linked Recessive	Clear
Factor VIII Deficiency or Hemophilia A; p.Cys548Tyr mutation originally found in German Shepherd	X-linked Recessive	Clear
Glanzmann Thrombasthenia Type I, (GT); mutation originally found in Pyrenean Mountain Dog	Autosomal Recessive	Clear
Hereditary Elliptocytosis		Clear
Hereditary Phosphofructokinase (PFK) Deficiency	Autosomal Recessive	Clear
Macrothrombocytopenia; disease-linked variant originally found in Norfolk and Cairn Terrier	Autosomal Recessive	Clear
May-Hegglin Anomaly (MHA)	Autosomal Dominant	Clear
Prekallikrein Deficiency	Autosomal Recessive	Clear
Pyruvate Kinase Deficiency; mutation originally found in Basenji	Autosomal Recessive	Clear
Pyruvate Kinase Deficiency; mutation originally found in Beagle	Autosomal Recessive	Clear
Pyruvate Kinase Deficiency; mutation originally found in Pug	Autosomal Recessive	Clear



Blood Disorders - page 2

Disorder	Mode of Inheritance	Result
Pyruvate Kinase Deficiency; mutation originally found in West Highland White Terrier	Autosomal Recessive	Clear
Thrombopathia; mutation originally found in Basset Hound	Autosomal Recessive	Clear
Thrombopathia; mutation originally found in Eskimo Spitz	Autosomal Recessive	Clear
Thrombopathia; mutation originally found in Landseer	Autosomal Recessive	Clear
Trapped Neutrophil Syndrome, (TNS)	Autosomal Recessive	Clear
Von Willebrand's Disease (vWD) Type 1	Autosomal Recessive	Clear
Von Willebrand's Disease (vWD) Type 3; mutation originally found in Kooikerhondje	Autosomal Recessive	Clear
Von Willebrand's Disease (vWD) Type 3; mutation originally found in Scottish Terrier	Autosomal Recessive	Clear
Von Willebrand's Disease (vWD) Type 3; mutation originally found in Shetland Sheepdog	Autosomal Recessive	Clear



Ocular Disorders - page 1

stiff-related breeds Automation originally found in one of the term nine Multifocal Retinopathy 2, (CMR2); mutation originally found in one of Tulear Automation of the term nine Multifocal Retinopathy 3, (CMR3); mutation originally found in opponian Herder Automation originally found in Automation Shorthaired Pointer ne Degeneration, (CD) or Achromatopsia; mutation originally found in Automation Shorthaired Pointer Automation originally found in American fordshire Terrier ne-Rod Dystrophy 1, (crd1); mutation originally found in American Pit Terrier Automation originally found in American Pit Terrier ne-Rod Dystrophy 2, (crd2); mutation originally found in American Pit Terrier Automation originally found in American Pit Terrier ne-Rod Dystrophy, (cord1-PRA / crd4) Automation originally found in American Pit Terrier ne-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) Automation originally found in American Pit Mutation originally found in Automation Progressive Retinal Atrophy neralized Progressive Retinal Atrophy 1, (GR_PRA 1) Automation Automation originally found in Australian Automation originally found in Australian Automation originally found in Australian Automation Augle	osomal Recessive C osomal Recessive C	Clear
on de Tulear Automotion de Tulear nine Multifocal Retinopathy 3, (CMR3); mutation originally found in ponian Herder Automotion de Degeneration, (CD) or Achromatopsia; mutation originally found in Automatic skan Malamute Automatic de Degeneration, (CD) or Achromatopsia; mutation originally found in Automatic skan Malamute Automatic de Degeneration, (CD) or Achromatopsia; mutation originally found in Automatic skan Malamute Automatic de Degeneration, (CD) or Achromatopsia; mutation originally found in American Pit me-Rod Dystrophy 1, (crd1); mutation originally found in American Pit Terrier Automatic de Degeneration, (CD) or Achromatopsia; mutation originally found in American Pit Terrier Automatic de Degeneration, (CD) or Achromatopsia; mutation originally found in American Pit Terrier Automatic de Degeneration, (cord1-PRA / crd4) Automatic de Degeneration, (cord1-PRA / crd4) Automatic de Degeneration, (crd SWD) ne-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) Automatic de Retriever Progressive Retinal Atrophy, (DPRA) Automatic de Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Automatic de Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Automatic depender nary Lens Luxation, (PLL) Automatic depender Automatic depender Automatic depender nary Open Angle Glaucoma, (POAG); mutation originally found in Automatic and gele Automatic originally found in Automatic and automatic andegele Automatic and automatic and automa	osomal Recessive C osomal Recessive C	Clear Clear Clear Clear Clear
apponian Herder Automatic and the second	osomal Recessive C osomal Recessive C osomal Recessive C osomal Recessive C osomal Recessive C complete Penetrance)	Clear Clear Clear Clear
skan Malamute Automatic and the second s	osomal Recessive C osomal Recessive C osomal Recessive C osomal Recessive C complete Penetrance) C osomal Recessive C	Clear Clear Clear
man Shorthaired Pointer Automatical Action and the provided an	osomal Recessive C osomal Recessive C osomal Recessive C complete Penetrance) osomal Recessive C	Clear Clear Clear
ffordshire Terrier Automatical Strength (crd2); mutation originally found in American Pit I Terrier Automatical Strength (crd2); mutation originally found in American Pit I Terrier he-Rod Dystrophy, (cord1-PRA / crd4) Automatical Strength (ne-Rod Dystrophy, standard Wirehaired Dachshund, (crd SWD) Automatical Strength (ne-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) he-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) Automatical Strength (ne-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) Automatical Strength (ne-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) minant Progressive Retinal Atrophy, (DPRA) Automatical Strength (ne-Rod Progressive Retinal Atrophy 1, (GR_PRA 1) Automatical Strength (ne-Rod Progressive Retinal Atrophy 1, (GR_PRA 1)) mary Hereditary Cataract, (PHC); mutation originally found in Australian Automatical Strength (nervice) Automatical Strength (nervice) mary Lens Luxation, (PLL) Automatical Strength (nervice) Automatical Strength (nervice) mary Open Angle Glaucoma, (POAG); mutation originally found in Automatical Strength (nervice) Automatical Strength (nervice)	osomal Recessive C osomal Recessive C complete Penetrance) osomal Recessive C	Clear
I Terrier I Terr	osomal Recessive Complete Penetrance)	Clear
(Inc me-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD) Auto minant Progressive Retinal Atrophy, (DPRA) Auto meralized Progressive Retinal Atrophy Auto den Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Auto mary Hereditary Cataract, (PHC); mutation originally found in Australian Auto pherd (Inc mary Lens Luxation, (PLL) Auto mary Open Angle Glaucoma, (POAG); mutation originally found in agle Auto mary Open Angle Glaucoma, (POAG); mutation originally found in Auto	osomal Recessive C	
minant Progressive Retinal Atrophy, (DPRA) Automatical Atrophy heralized Progressive Retinal Atrophy Automatical Atrophy den Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Automatical Atrophy 1, (GR_PRA 1) nary Hereditary Cataract, (PHC); mutation originally found in Australian Automatical Atropherd Automatical Atrophy 1, (GR_PRA 1) nary Lens Luxation, (PLL) Automatical Atrophy 1, (GR_PRA 1) Automatical Atrophy 1, (GR_PRA 1) nary Open Angle Glaucoma, (POAG); mutation originally found in Automatical Agle Automatical Atrophy 1, (GR_PRA 1) nary Open Angle Glaucoma, (POAG); mutation originally found in Automatical Atrophy 1, (GR_PRA 1)		lear
neralized Progressive Retinal Atrophy Automatic Automatic Atrophy den Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Automatic	osomal Dominant	ioui
den Retriever Progressive Retinal Atrophy 1, (GR_PRA 1) Automatic mary Hereditary Cataract, (PHC); mutation originally found in Australian Automatic Automatic pherd Automatic mary Lens Luxation, (PLL) Automatic mary Open Angle Glaucoma, (POAG); mutation originally found in Automatic Automatic mary Open Angle Glaucoma, (POAG); mutation originally found in Automatic Automatic		lear
mary Hereditary Cataract, (PHC); mutation originally found in Australian Autrespherd (Incompared Network) (PLL) Autresphere Angle Glaucoma, (POAG); mutation originally found in Autresphere Angle Glaucoma, found for Autre	osomal Recessive C	lear
epherd (Inc nary Lens Luxation, (PLL) Auto nary Open Angle Glaucoma, (POAG); mutation originally found in agle nary Open Angle Glaucoma, (POAG); mutation originally found in Auto	osomal Recessive C	lear
mary Open Angle Glaucoma, (POAG); mutation originally found in Auto agle nary Open Angle Glaucoma, (POAG); mutation originally found in Auto	osomal Dominant C complete Penetrance)	lear
agle nary Open Angle Glaucoma, (POAG); mutation originally found in Auto	osomal Recessive C	lear
	osomal Recessive C	lear
	osomal Recessive C	lear
gressive Retinal Atrophy Type III, (PRA type III); mutation originally Auto nd in Tibetan Spaniel and Tibetan Terrier	osomal Recessive C	lear
gressive Retinal Atrophy, (PAP1_PRA); mutation originally found in Auto illon and Phalene		
gressive Retinal Atrophy, (PRA); mutation originally found in Basenji Auto		Clear
d-Cone Dysplasia 1, (rcd1); mutation originally found in Irish Setter Auto	osomal Recessive C	Clear
d-Cone Dysplasia 1a, (rdc1a); mutation originally found in Sloughi Auto	osomal Recessive C	



Ocular Disorders - page 2

Disorder	Mode of Inheritance	Result
Rod-Cone Dysplasia 3, (rcd3)	Autosomal Recessive	Clear
X-Linked Progressive Retinal Atrophy 1, (XLPRA1)	X-linked Recessive	Clear
X-Linked Progressive Retinal Atrophy 2, (XLPRA2; Type A PRA)	X-linked Recessive	Clear

Endocrine Disorders

Disorder	Mode of Inheritance	Result
Congenital Hypothyroidism; mutation originally found in Tenterfield Terrier	Autosomal Recessive	Clear
Congenital Hypothyroidism; mutation originally found in Toy Fox and Rat Terrier	Autosomal Recessive	Clear

Immunological Disorders

Disorder	Mode of Inheritance	Result
Autosomal Recessive Severe Combined Immunodeficiency, (ARSCID)	Autosomal Recessive	Clear
Complement 3 (C3) Deficiency	Autosomal Recessive	Clear
Severe Combined Immunodeficiency in Frisian Water Dogs, (SCID)	Autosomal Recessive	Clear
X-Linked Severe Combined Immunodeficiency (XSCID); mutation originally found in Basset Hound	X-linked Recessive	Clear
X-Linked Severe Combined Immunodeficiency (XSCID); mutation originally found in Cardigan Welsh Corgi	X-linked Recessive	Clear



Renal Disorders

Disorder	Mode of Inheritance	Result
Cystinuria Type I-A; mutation originally found in Newfoundland Dog	Autosomal Recessive	Clear
Cystinuria Type II-A; mutation originally found in Australian Cattle Dog	Autosomal Dominant	Clear
Cystinuria, Type II-B; mutation originally found in Miniature Pinscher	Autosomal Dominant	Clear
Familial Nephropathy (FN); mutation originally found in English Cocker Spaniel	Autosomal Recessive	Clear
Familial Nephropathy (FN); mutation originally found in English Springer Spaniel	Autosomal Recessive	Clear
Hyperuricosuria, (HUU)	Autosomal Recessive	Clear
Polycystic Kidney Disease in Bull Terriers, (BTPKD)	Autosomal Dominant	Clear
Primary Hyperoxaluria, (PH); mutation originally found in Coton de Tulear	Autosomal Recessive	Clear
Protein Losing Nephropathy, (PLN); NPHS1 gene variant		Clear
Renal Cystadenocarcinoma and Nodular Dermatofibrosis, (RCND)	Autosomal Dominant	Clear
X-Linked Hereditary Nephropathy, (XLHN)	X-linked Recessive	Clear
X-Linked Hereditary Nephropathy, (XLHN); mutation originally found in Navasota Dog	X-linked Recessive	No call



Metabolic Disorders

Disorder	Mode of Inheritance	Result
Glycogen Storage Disease Type II or Pompe's Disease, (GSD II)	Autosomal Recessive	Clear
Glycogen Storage Disease Type Illa, (GSD Illa)	Autosomal Recessive	Clear
Glycogen Storage Disease Type Ia, (GSD Ia)	Autosomal Recessive	Clear
Hypocatalasia or Acatalasemia	Autosomal Recessive	Clear
Intestinal Cobalamin Malabsorption or Imerslund-Gräsbeck Syndrome, (IGS); mutation originally found in Beagle	Autosomal Recessive	Clear
Intestinal Cobalamin Malabsorption or Imerslund-Gräsbeck Syndrome, (IGS); mutation originally found in Border Collie	Autosomal Recessive	Clear
Mucopolysaccharidosis Type IIIA, (MPS IIIA); mutation originally found in Dachshund	Autosomal Recessive	Clear
Mucopolysaccharidosis Type IIIA, (MPS IIIA); mutation originally found in New Zealand Huntaway	Autosomal Recessive	Clear
Mucopolysaccharidosis Type VII, (MPS VII); mutation originally found in Brazilian Terrier	Autosomal Recessive	Clear
Mucopolysaccharidosis Type VII, (MPS VII); mutation originally found in German Shepherd	Autosomal Recessive	Clear
Pyruvate Dehydrogenase Phosphatase 1 (PDP1) Deficiency	Autosomal Recessive	Clear



Muscular Disorders

Disorder	Mode of Inheritance	Result
Cavalier King Charles Spaniel Muscular Dystrophy, (CKCS-MD)	X-linked Recessive	Clear
Centronuclear Myopathy, (CNM); mutation originally found in Great Dane	Autosomal Recessive	Clear
Centronuclear Myopathy, (CNM); mutation originally found in Labrador Retriever	Autosomal Recessive	Clear
Duchenne or Dystrophin Muscular Dystrophy, (DMD); mutation originally found in Golden Retriever	X-linked Recessive	Clear
Myostatin deficiency (Double Muscling, "Bully")	Autosomal Recessive	Clear
Myotonia Congenita; mutation originally found in Australian Cattle Dog	Autosomal Recessive	Clear
Myotonia Congenita; mutation originally found in Miniature Schnauzer	Autosomal Recessive	Clear
X-Linked Myotubular Myopathy	X-linked Recessive	Clear



Neurological Disorders - page 1

Disorder	Mode of Inheritance	Result
Alaskan Husky Encephalopathy, (AHE)	Autosomal Recessive	Clear
Bandera's Neonatal Ataxia, (BNAt)	Autosomal Recessive	Clear
Benign Familial Juvenile Epilepsy or Remitting Focal Epilepsy	Autosomal Recessive	Clear
Early-Onset Progressive Polyneuropathy; mutation originally found in Alaskan Malamute	Autosomal Recessive	Clear
Early-Onset Progressive Polyneuropathy; mutation originally found in Greyhound	Autosomal Recessive	Clear
Fetal Onset Neuroaxonal Dystrophy, (FNAD)	Autosomal Recessive	Clear
Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old English Sheepdog and Gordon Setter	Autosomal Recessive	Clear
Hyperekplexia or Startle Disease	Autosomal Recessive	Clear
Hypomyelination; mutation originally found in Weimaraner	Autosomal Recessive	Clear
L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Staffordshire Bull Terrier	Autosomal Recessive	Clear
Lagotto Storage Disease, (LSD)	Autosomal Recessive	Clear
Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)	Autosomal Recessive	Clear
Neonatal Encephalopathy with Seizures, (NEWS)	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in American Bulldog	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in American Staffordshire Terrier	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 5, (NCL5); mutation originally found in Border Collie	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 8, (NCL8); mutation originally found in Australian Shepherd	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 8, (NCL8); mutation originally found in English Setter	Autosomal Recessive	Clear
Progressive Early-Onset Cerebellar Ataxia; mutation originally found in Finnish Hound	Autosomal Recessive	No call
Spinal Dysraphism	Autosomal Recessive	Clear



Neurological Disorders - page 2

Disorder	Mode of Inheritance	Result
Spinocerebellar Ataxia with Myokymia and/or Seizures (SCA)	Autosomal Recessive	Clear
Spinocerebellar Ataxia/ Late-Onset Ataxia (SCA, LOA)	Autosomal Recessive	Clear
X-Linked Tremors; mutation originally found in English Springer Spaniel	X-linked Recessive	Clear

Neuromuscular Disorders

Disorder	Mode of Inheritance	Result
Congenital Myasthenic Syndrome, (CMS); mutation originally found in Old Danish Pointing Dog	Autosomal Recessive	Clear
GM1 Gangliosidosis; mutation originally found in Alaskan Husky	Autosomal Recessive	Clear
GM1 Gangliosidosis; mutation originally found in Portuguese Water Dog	Autosomal Recessive	Clear
GM1 Gangliosidosis; mutation originally found in Shiba Dog	Autosomal Recessive	Clear
GM2 Gangliosidosis, mutation originally found in Japanese Chin	Autosomal Recessive	Clear
GM2 Gangliosidosis; mutation originally found in Toy Poodle	Autosomal Recessive	Clear
Globoid Cell Leukodystrophy or Krabbe Disease, (GLD); mutation originally found in Irish Setter	Autosomal Recessive	Clear
Globoid Cell Leukodystrophy or Krabbe Disease, (GLD); mutation originally found in Terriers	Autosomal Recessive	Clear



Skeletal Disorders

Disorder	Mode of Inheritance	Result
Chondrodysplasia; mutation originally found in Norwegian Elkhound and Karelian Bear Dog	Autosomal Recessive	Clear
Cleft Palate; DLX6 gene mutation originally found in Nova Scotia Duck Tolling Retriever	Autosomal Recessive	Clear
Craniomandibular Osteopathy, (CMO); mutation associated with terrier breeds	Autosomal Dominant (Incomplete Penetrance)	Clear
Hereditary Vitamin D-Resistant Rickets, (HVDRR)	Autosomal Recessive	Clear
Oculoskeletal Dysplasia 2 or Dwarfism-Retinal Dysplasia 2, (OSD2)	Autosomal Recessive	Clear
Osteochondrodysplasia; mutation originally found in Miniature Poodle	Autosomal Recessive	Clear
Osteogenesis Imperfecta, (OI); mutation originally found in Beagle	Autosomal Dominant	Clear
Osteogenesis Imperfecta, (OI); mutation originally found in Dachshund	Autosomal Recessive	Clear
Skeletal Dysplasia 2, (SD2)	Autosomal Recessive	Clear

Dermal Disorders

Disorder	Mode of Inheritance	Result
Dystrophic Epidermolysis Bullosa; mutation originally found in Golden Retriever	Autosomal Recessive	Clear
Epidermolytic Hyperkeratosis	Autosomal Recessive	Clear
Golden Retriever Ichthyosis	Autosomal Recessive	Clear
Hereditary Footpad Hyperkeratosis, (HFH)	Autosomal Recessive	Clear
Lamellar Ichthyosis, (LI)	Autosomal Recessive	Clear
Musladin-Lueke syndrome, (MLS)	Autosomal Recessive	Clear
X-Linked Ectodermal Dysplasia, (XHED)	X-linked Recessive	Clear



Other Disorders

Disorder	Mode of Inheritance	Result
Amelogenesis Imperfecta, (AI); mutation originally found in Italian Greyhound	Autosomal Recessive	Clear
Congenital Keratoconjunctivitis Sicca and Ichthyosiform Dermatosis, (CKCSID)	Autosomal Recessive	Clear
Narcolepsy; mutation originally found in Dachshund	Autosomal Recessive	Clear
Narcolepsy; mutation originally found in Doberman Pinscher	Autosomal Recessive	Clear
Narcolepsy; mutation originally found in Labrador Retriever	Autosomal Recessive	Clear
Persistent Müllerian Duct Syndrome, (PMDS); mutation originally found in Miniature Schnauzer	Autosomal Recessive	Clear
Primary Ciliary Dyskinesia, (PCD)	Autosomal Recessive	Clear



APPENDIX Explanation of the results of the tested disorders

Autosomal recessive inheritance (ARI)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

Carrier - A dog carries one copy of the tested mutation. Carriers typically have a normal, healthy appearance but pass on the mutation to approximately 50% of their offspring.

At risk - A dog carries two copies of the tested mutation and is at high or increased risk of developing the disease/condition.

Autosomal dominant inheritance (ADI)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

At risk - A dog carries one or two copies of the tested mutation and is at high or increased risk of developing the disease/condition.

X-linked recessive inheritance (X-linked)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

Carrier - Female carriers typically have a normal, healthy appearance but carry one copy of the tested mutation on one of their X chromosomes. As males only have one X chromosome, there are no male carriers.

At risk - Female dogs at risk carry two mutated copies of the tested mutation. Males carry one copy of the tested mutation on their single X chromosome. Dogs at risk are at high or increased risk of developing the disease/condition.

Please note that the descriptions above are generalized based on typically observed inheritance patterns. When obtaining a 'carrier' or 'at risk' test result, always refer to the corresponding online test documentation for more detailed information on the condition and any exceptions.

Genoscoper Laboratories - Legal Notice

Genoscoper Laboratories' services and test results are produced based on samples and materials supplied by the Client. Testing and analysis is performed by using methods and processes that Genoscoper Laboratories deems appropriate. Genoscoper Laboratories reserves the right to make changes in the collection of the single-gene tests included in the testing service as well as to remove results derived from them, if new information comes available that in any way questions the validity of the test results. Results provided by Genoscoper Laboratories are prepared solely for the use of the Client. For further information, please visit: www.mydogdna.com/legal-notices